

Wireless HD Signal Transmitter (Supports Android/iOS/Windwos Devices) DJE-T001

COTENTS

1	Overview	3
1.1	Introduction	3
	Features	
	Profile	
	Interfaces	
3	Specification	6
4	Application	7

Revision history

Revision	Revision date	Principle changes
V1.0	Dec. 2019	Create V1.0

Copyright © 2019 Digi-Jupiter TECH Co., Ltd. All rights reserved.

1 Overview

1.1 Introduction

The DJE-T001 Multicast HD Wireless Extender extends your HD display to be supported by up to 128 devices (connected to HDTVs by HD sources or Phone/Tablet/PC) wirelessly, with crystal clear image quality capable of streaming Full 1080P with 7.1 channel HD digital audio and 3D technology. No matter iOS, Android, Windows all are able to access to our product via Wi-Fi or USB.

Features

- Support 2.4G & 5.8G AP at the same time for mirroring(optional)
- 1080p 60 FPS HD Connectivity
- 3D Support
- 7.1 HD Audio
- 30m connection
- TF Card support
- RTC support
- Miracast/Airplay support
- Free from other Wi-Fi interference
- Low latency-almost zero lag time
- Rotation function support

2 Profile

2.1 Interfaces

■ Front and Back side.









3 Specification

Interface					
System version	Android 7.1				
CPU	ARM Cortex A7 x 4				
DDR	1G DDR3				
Flash Memory	8G				
LAN port	RJ45				
TF	Up to 64G				
HD output port	*1				
USB port	*2				
Resolution	Up to 1920x1080 60Hz				
Input	DC:12V				
Working temperature	0°C~50°C				
Working humidity	5%~95%				
Technical Receiver Box Part					
Installation	Keep PC and box at the same internet, No need installation				
Support System	Windows 7/8/10. Mac				
Resolution	1920*1080、1366*768、1360*768、1280*800、1280*720、1024*768				
Frame Rate	Audio& Video up to 30Frame				
Delay time	100~200ms				
Display mode	Support extended screen				
Touch Back Control	Support Mouse mode return				
Meeting Mode(Host)	The host can touch the list of screens to select the designated PC screen				
Meeting Mode (Participant)	During the meeting, when non-host transmits the screen, whoever press the button and who can transmit.				
Connection	When box connect to Network PC Wi-Fi Connecting to box 5G hotpot				

USB Transmitter Part					
Support system	Windows 7/8/10,Apple Mac				
Resolution	Up to 1080P				
Frame Rate	Audio &Video Up to 30Frame				
Transmit distance	100m				
Display mode	Support				
Touch Back Control	Support				
Connection number	Up to 8 USB transmitter(it is ok to add more than 8 units but need additional setting)				
Wireless Speed	TX 300Mbps				
Wireless Protocol	IEEE 802.11 a/g/n/ac				
Authentication Protocols WPA2-PSK					
Meeting Mode(Host)	The host can touch the list of screens to select the designated PC screen				
Meeting	During the meeting, when non-host transmits the screen, whoever press				
Mode(Participant)	the button and who can transmit.				
Phone & Tablet Part					
Dual Wi-Fi	5GHotspot &2.4G Wi-Fi working at same time, While mirroring, the				
	Phone/Tablet/PC can go surfing.				
iPhone	iOS 8 above, AirPlay mirroring, supports multi-screens				
Android phone	Android 5.0 and above version, and local playback videos mirroring can				
	pass-through sound				
MiraPlay Mode	No need APP for mirroring, support Miracast, AirPlay,USB wireless				
	mirroring				
Advantage functions					
Rotation	Support 90° 180° 270° rotation				
Password	Support APP mirroring, AirPlay, Windows software mirroring				
Mouse mode	Support				
Capacitive touch panel	Support				
IR touch control	Support				

4 Application







Transmitter connect receiver through 5G wifi

No need software

No need to install any softwarewhen mirroring

Across different devices

Support android mobile phones iPhones ,windows and MAC PC





Mobile Remote Control Large Screen





Capabilities for Touch

Bring interactive whiteboarding into you Meetings, So participants can view and co-annotate on a blank, whiteboard or over shared contents.

