




Digital Signage Extender **DJE-T011**



C O T E N T S

1 Overview..... 3

1.1 Introduction.....3

1.2 Features..... 3

2 Profile 4

2.1 Interfaces..... 4

3 Specification 5

4 Application 6

Revision history

Revision	Revision date	Principle changes
V1.0	May. 2018	Create V1.0

Copyright © 2017 Digi-Jupiter TECH Co., Ltd. All rights reserved.

1 Overview


1.1 Introduction

Digijupiter DJP-T011 wireless 1080P HD transmission kit can wirelessly transmit any High-Definition content from your set-top-box, Blu-ray player, or HD ready computer placed anywhere in the house , to the HDTV. It is the best way to stream your 1080P content wirelessly.

Features

Transmit all your HD-compatible, digital video signals wirelessly form one display or playback device (e.g. PC, DVD or Blu-ray player) to a receiver terminal (e.g. monitor or TV). Digijupiter HD transmission kit offers maximum flexibility and comfort.

- Transmit uncompressed 1080P video to TV wirelessly
- Plug & play, no software installation required, no setting required
- Stream HD 1080P video pass through
- Stream 3D video pass through
- Support the highest rate 1.485G an TDMS clock up to 148.5MHz
- Transmission distance up to 30 meters



2 Profile

2.1 Interfaces

■ Transmitter & Receiver



3 Specification

Technical	
Technical standard	Wireless HD
Bandwidths	4Gbps
Middle frequencies	60GHz (59~66GHz)
RF power	10dBm
Security agreement	HDCP2.2
Delay time	<5ms
Distance	10m~30m(depends on version)
Resolution	Up to 1080P @60Hz
HD	HD
Average Power	TX is 1.5W RX is 2.5W
Power	Micro USB B, 5V-1A
Temperature	0 - 60°C
TX size	95x29x16mm
RX size	87x87x21mm

4 Application

