



Model No.:DJP-G700

- ♦ Fanless system without cooling fan, fit for industrial grade field, work for 24/7
- ♦ Support Watchdog, Auto power on, RTC, PXE boot, State lamp interface, trigger switch(wafer 1*2), CMOS clear button
- ♦ Low consumption TDP only 15W
- ♦ Can be mounted on the wall/screen
- ♦ Rich interfaces with USB, Type-C, SD Card, DP, HD, 2 LAN, etc to connect with more devices.

Specification

CPU	Onboard Intel 6th/7th/8th Gen Core i3/i5/i7 CPU Optional (can be customized in bulk) Onboard Intel Core i5-6360u/i7-6567u /i5-8250 U
TDP	Refer to CPU
BIOS	American Megatrends Inc.
Chipset	Refer to CPU
Memory	2 x SO-DIMM DDR4 Slot Support 4GB/8GB/16GB/32GB
OS	Windows 7/Windows 8/Windows 10/Linux, WES7/10
PXE	YES
Audio	Intel High Definition Audio Controller
Network	10/100Mbps/1000Mbps BaseT LAN
Video	Refer to CPU
Input/output port	
	1 x Power On/Off Switch
Power	1 x 3pin phoenix terminal power supply input, support 9~36V
Button	1 x DIP Switch, support ATX/AT boot mode
USB	4 x USB3.0, 2 x USB2.0
PS/2	1 x PS/2(keyboard and mouse 2 in 1)
Display	1 x VGA, 1 x HD
LAN	2 x Intel GbE RJ45 LAN

COM	6 x DB9 COM(4xCOM support RS422/RS485)
GPIO	1 x GPIO(7pin input, 7pin output)
LPT	1 x LPT
Audio	1 x MIC, 1 x SPK
SIM	1 x embedded SIM card slot onboard
Others	1 x Reset, 1 x CMOS clear button, 1 x 2pin Phoenix terminal power supply input
Storage	
MSATA	1 x M-SATA3.0 slot for MSATA SSD, support 6Gb/s 1 x M.2 slot for NVME 2280 SSD, support 6Gb/s
SATA	1 x SATA3.0 slot for SATA HDD or SSD, support 6Gb/s
Wi-Fi	
Module	1 x mini PCIE-half port for Wi-Fi/Bluetooth module 1 x mini PCIE-full port for 3G/4G/Wi-Fi/Bluetooth module 1 x Extended IO, support LPC, USB, PCIE
Antenna	2 x inner RF cables and 2 x external antennas
Power and Working Environment	
Input	DC100-240V AC/50-60Hz
Output	DC +9V~+36V, recommend 12V/5A
Operating Temperature	-20/+60Centigrade
Storage Temperature	-30/+70 Centigrade
Storage Humidity	10%~90%@30 Centigrade (non-condensing)
Product Dimension & Details	
Size	249*150*86mm
Weight	NW 2.2KG, GW 3.5KG
Shell	Black color aluminum alloy(any customized color for bulk order)
Mounting	4 mounting holes on case
Cooling Mode	Fanless
Functions	Watchdog, One key reset, AWAL, RTC, WOL(ATX mode)

