






Model: DJP-W660




Specification:	
CPU	Onboard Intel Celeron J6412
TDP	10W
Motherboard	120 x 120mm customized size
BOIS	American Megatrends Inc
Chipset	Elkhart Lake
Memory	1* SO-DIMM DDR4 Slot Support 4GB/8GB DDR4-2133, LPDDR3-1866, DDR3L-1600
OS	Windows 10/Linux/WES10
PXE	YES
Audio	Intel High Definition Audio Controller
Network	1 x Realtek 811H Gigabit Ethernet Controller 10/100Mbps/1000Mbps BaseT LAN
Video	Intel® UHD Graphics
Input/output port	
Switch	1 x Power On/Off Switch
Power	1 x 12V DC In
USB	Version A: 2 x USB2.0, 2 x USB3.0, 2 x DB9 COM Version B: 6 x USB2.0, 2 x USB3.0
Display	1 x DP 1.2 , 2 x HDMI 1.4
LAN	Version A: 2 x RJ45 Giga LAN Version B: 1 x RJ45 Giga LAN
Audio	1 x MIC, 1 x SPK
Storage	
M.2	1 x M.2 slot for NVME 2280 SSD
MSATA	1 x M-SATA3.0 slot for MSATA SSD, support 6Gb/s

SATA	1 x SATA3.0 slot for SATA HDD or SSD, support 6Gb/s
Wi-Fi	
Module	1 x M.2 2230 slot for Wi-Fi & Bluetooth module
Antenna	2 x inner RF cables and 2 x external antennas
Power and Working Environment	
Input	100-240V AC/50-60Hz
Output	12V~+19V, recommend 12V/5A
Operating Temperature	-20°C/+60°C
Storage Temperature	-30°C/+70°C
Relative Humidity	10%~90% @30°C(non-condensing)
Product Dimension & Details	
Size	135*127*38.7mm
Weight	Net 0.8kg, Gross 1kg
Shell	Black color aluminum alloy (any customized color for official order)
Cooling Mode	Fanless
Functions	Watchdog, Auto power on, Wake-On-LAN, PXE
Package Content	
Standard	1xMini PC, 1x Power Adapter, 1xPower Cord, 1xScrews Bag
Optional	Wi-Fi antennas, 1xHDMI cable, 1xVESA mount

Photos(Version A)



Photos (Version B)



Product Highlight

- ◆ Fanless system without cooling fan, no any noise, work as long as 24 hours.
- ◆ Low consumption TDP only 10W, save much energy and eco-friendly.
- ◆ Can be mounted back of monitor or wall by the optional VESA mount
- ◆ Support 2 x HDMI 1.4+DP 1.2 Three display output synchronously.
- ◆ Full Aluminum Alloy Black color shell, Exquisite production craft on outside design with high quality and stable performance, slim dimension

135*127*38.7MM